

Patent Claims

1. Process for the production of a mistletoe lectin polypeptide in the heterologous system having the sequence:

Y E R L R L R V T H Q T T G X1 E Y F R F I T L
 L R D Y V S S G S F S N E I P L L R Q S T I P
 V S D A Q R F V L V E L T N Q G X2 D S X3 T A A
 I D V T N X4 Y V V A Y Q A G D Q S Y F L R D A
 P R G A E T H L F T G T T R X5 S S L P F X6 G S
 Y X7 D L E R Y A G H R D Q I P L G I X8 Q L I Q
 S V X9 A L R X10 P G G S T R X11 Q A R S I L I L
 I Q M I S E A A R F N P I L W R X12 R Q X13 I N
 S G X14 S F L P D X15 Y M L E L E T S W G Q Q S
 T Q V Q H S T D G V F N N P X16 R L A I X17 X18 G
 N F V T L X19 N V R X20 V I A S L A I M L F V C
 G E R P S S S D V R Y W P L V I R P V I A D D
 V T C S A S E P T V R I V G R X21 G M X22 V D V
 R D D D F H D G N Q I Q L W P S K S N N D P N
 Q L W T I K R D X23 T I R S N G S C L T T Y G Y
 T A G V Y V M I F D C N T A V R E A T I W Q I

009601667-100600

X24 N G T I I N P R S N L V L A A S S G I K G
 T T L T V Q T L D Y T L G Q G W L A G N D T A
 P R E V T I Y G F R D L C M E S N X25 G S V W V
 E T C X26 S S Q X27 N Q X28 X29 W A L Y G D G S I R
 P K Q N Q D Q C L T X30 G R D S V S T V I N I V
 S C S X31 X32 S X33 X34 Q R W V F T N E X35 A I L N
 L K X36 X37 X38 X39 X40 D V A Q A N P K L R R I I I
 Y P A T G K P N Q M W L P V X41

or a fragment thereof, comprising the step of expressing by means of a eukaryotic or prokaryotic vector, into which a nucleic acid coding for the mistletoe lectin polypeptide according to the usual genetic code or a fragment thereof is cloned, in a suitable heterologous eukaryotic or prokaryotic host,

wherein X1 is D or E, X2 is G or Q, X3 is I or V, X4 is L or A, X5 is DR or missing, X6 is N or T, X7 is P or T, X8 is D or E, X9 is S or T, X10 is F or Y, X11 is T or A, X12 is A or Y, X13 is Y or D, X14 is A or E, X15 is V or M, X16 is I or F, X17 is P or S, X18 is P or T, X19 is T or S, X20 is D or S, X21 is N or S, X22 is C or R, X23 is G or N, X24 is G or D, X25 is G or Q, X26 is V or D, X27 is Q or K, X28 is G or missing, X29 is R or K, X30 is C or S or V, X31 is A or G, X32 is G or A, X33 is S or G, X34 is G or S, X35 is G or Y, X36 is N or S or T or K, X37 is S or G, X38 is L or P, X39 is A or M, X40 is M or V and X41 is P or F.

2. Process according to Claim 1, wherein the mistletoe lectin polypeptide corresponds to the mistletoe lectin A-chain (MLA) or a fragment thereof, and contains the following sequence or a fragment thereof:

09601567.100600

Y E R L R L R V T H Q T T G X1 E Y F R F I T L
 L R D Y V S S G S F S N E I P L L R Q S T I P
 V S D A Q R F V L V E L T N Q G X2 D S X3 T A A
 I D V T N X4 Y V V A Y Q A G D Q S Y F L R D A
 P R G A E T H L F T G T T R X5 S S L P F X6 G S
 Y X7 D L E R Y A G H R D Q I P L G I X8 Q L I Q
 S V X9 A L R X10 P G G S T R X11 Q A R S I L I L
 I Q M I S E A A R F N P I L W R X12 R Q X13 I N
 S G X14 S F L P D X15 Y M L E L E T S W G Q Q S
 T Q V Q H S T D G V F N N P X16 R L A I X17 X18 G
 N F V T L X19 N V R X20 V I A S L A I M L F V C
 G E R P S S S

wherein X1 to X20 have the meaning stated above.

3. Process according to Claim 1, wherein the mistletoe lectin polypeptide corresponds to the mistletoe lectin B-chain (MLB) or a fragment thereof, and contains the following sequence or a fragment thereof:

D D V T C S A S E P T V R I V G R X21 G M X22 V D
 V R D D D F H D G N Q I Q L W P S K S N N D P N
 Q L W T I K R D X23 T I R S N G S C L T T Y G Y
 T A G V Y V M I F D C N T A V R E A T I W Q I W
 X24 N G T I I N P R S N L V L A A S S G I K G T T
 L T V Q T L D Y T L G Q G W L A G N D T A P R E
 V T I Y G F R D L C M E S N X25 G S V W V E T C
 X26 S S Q X27 N Q X28 X29 W A L Y G D G S I R P K Q N
 Q D Q C L T X30 G R D S V S T V I N I V S C S X31
 X32 S X33 X34 O R W V F T N E X35 A I L N L K X36 X37
 X38 X39 X40 D V A Q A N F K L R R I I I Y P A T G
 K P N Q M W L P V X41

wherein X21 to X41 have the meaning stated above.

4. Mistletoe lectin polypeptide having the following sequence:

Y E R L R L R V T H Q T T G X1 E Y F R F I T L
 L R D Y V S S G S F S N E I P L L R Q S T I P
 V S D A Q R F V L V E L T N Q G X2 D S X3 T A A
 I D V T N X4 Y V V A Y Q A G D Q S Y F L R D A
 P R G A E T H L F T G T T R X5 S S L P F X6 G S

09601667-100600

Y X7 D L E R Y A G H R D Q I P L G I X8 Q L I Q
 S V X9 A L R X10 P G G S T R X11 Q A R S I L I L
 I Q M I S E A A R F N P I L W R X12 R Q X13 I N
 S G X14 S F L P D X15 Y M L E L E T S W G Q Q S
 T Q V Q H S T D G V F N N P X16 R L A I X17 X18 G
 N F V T L X19 N V R X20 V I A S L A I M L F V C
 G E R P S S S D V R Y W P L V I R P V I A D D
 V T C S A S E P T V R I V G R X21 G M X22 V D V
 R D D D F H D G N Q I Q L W P S K S N N D P N
 Q L W T I K R D X23 T I R S N G S C L T T Y G Y
 T A G V Y V M I F D C N T A V R E A T I W Q I
 W X24 N G T I I N P R S N L V L A A S S G I K G
 T T L T V Q T L D Y T L G Q G W L A G N D T A
 P R E V T I Y G F R D L C M E S N X25 G S V W V
 E T C X26 S S Q X27 N Q X28 X29 W A L Y G D G S I R
 P K Q N Q D Q C L T X30 G R D S V S T V I N I V
 S C S X31 X32 S X33 X34 Q R W V F T N E X35 A I L N
 L K X36 X37 X38 X39 X40 D V A Q A N P K L R R I I I
 Y P A T G K P N Q M W L P V X41

009001 299T09600

or a fragment thereof,

wherein X1 is D or E, X2 is G or Q, X3 is I or V, X4 is L or A, X5 is DR or missing, X6 is N or T, X7 is P or T, X8 is D or E, X9 is S or T, X10 is F or Y, X11 is T or A, X12 is A or Y, X13 is Y or D, X14 is A or E, X15 is V or M, X16 is I or F, X17 is P or S, X18 is P or T, X19 is T or S, X20 is D or S, X21 is N or S, X22 is C or R, X23 is G or N, X24 is G or D, X25 is G or Q, X26 is V or D, X27 is Q or K, X28 is G or missing, X29 is R or K, X30 is C or S or V, X31 is A or G, X32 is G or A, X33 is S or G, X34 is G or S, X35 is G or Y, X36 is N or S or T or K, X37 is S or G, X38 is L or P, X39 is A or M, X40 is M or V and X41 is P or F.

5. Mistletoe lectin polypeptide according to Claim 4, comprising the sequence:

Y E R L R L R V T H Q T T G X1 E Y F R F I T L
 L R D Y V S S G S F S N E I P L L R Q S T I P
 V S D A Q R F V L V E L T N Q G X2 D S X3 T A A
 I D V T N X4 Y V V A Y Q A G D Q S Y F L R D A
 P R G A E T H L F T S T T R X5 S S L P F X6 G S
 Y X7 D L E R Y A G H R D Q I P L G I X8 Q L I Q
 S V X9 A L R X10 P G G S T R X11 Q A R S I L I L
 I Q M I S E A A R F N P I L W R X12 R Q X13 I N
 S G X14 S F L P D X15 Y M L E L E T S W G Q Q S
 T Q V Q H S T D G V F N N P X16 R L A I X17 X18 G
 N F V T L X19 N V R X20 V I A S L A I M L F V C

009000 299T0960

G E R P S S S

or a fragment of this sequence, wherein the mistletoe lectin polypeptide corresponds to the MLA chain or a fragment thereof and X1 to X20 have the meaning stated above.

6. Mistletoe lectin polypeptide according to Claim 4, comprising the sequence:

D D V T C S A S E P T V R I V G R X21 G M X22 V D
 V R D D D F H D G N Q I Q L W P S K S N N D P N
 Q L W T I K R D X23 T I R S N G S C L T T Y G Y
 T A G V Y V M I F D C N T A V R E A T I W Q I W
 X24 N G T I I N P R S N L V L A A S S G I K G T T
 L T V Q T L D Y T L G Q G W L A G N D T A P R E
 V T I Y G F R D L C M E S N X25 G S V W V E T C
 X26 S S Q X27 N Q X28 X29 W A L Y G D G S I R P K Q N
 Q D Q C L T X30 G R D S V S T V I N I V S C S X31
 X32 S X33 X34 Q R W V F T N E X35 A I L N L K X36 X37
 X38 X39 X40 D V A Q A N P K L R R I I I Y P A T G
 K P N Q M W L P V X41

00900T 299T09900

or a fragment of this sequence, wherein the mistletoe lectin polypeptide corresponds to the MLB chain or a fragment thereof and X21 to X41 have the meaning stated above.

7. Mistletoe lectin polypeptide according Claim 4, having the sequence shown in Fig.1b.

8. Mistletoe lectin polypeptide according Claim 5, having the sequence shown in Fig.3b.

9. Mistletoe lectin polypeptide according to Claim 6, selected from the following group:

- I) Polypeptide having the sequence shown in Fig.7b.
- II) Polypeptide having the sequence shown in Fig.8b.
- III) Polypeptide having the sequence shown in Fig.9b.
- IV) Polypeptide having the sequence shown in Fig.10b.
- V) Polypeptide having the sequence shown in Fig.11b.
- VI) Polypeptide having the sequence shown in Fig.12b.

10. Process for the preparation of a nucleic acid molecule which codes for a mistletoe lectin polypeptide according to Claim 4 in a heterologous host, comprising the steps:

- a) preparing of mistletoe cell RNA or chromosomal mistletoe cell DNA and
- b) amplifying mistletoe cell RNA or chromosomal mistletoe lectin DNA by PCR using oligonucleotides which are derived from the mistletoe lectin polypeptide shown in Fig.1b, and
- c) if necessary, identifying of sequences which lie 5' and 3' from the amplified nucleic acid and amplification thereof, and
- d) isolating of the nucleic acid molecules amplified in step b) and/or c), and

00601667 100600

- e) if necessary, ligating several of the nucleic acid molecules amplified in step b) and/or c), such that a nucleic acid molecule with a complete open reading frame is obtained and
- f) targeted mutation of the nucleic acid molecule obtained in order to match the nucleic acid molecule to the usual genetic code of the heterologous host for one of the mistletoe lectin polypeptide isoforms identified in mistletoe cells.

11. Nucleic acid molecule, coding for a polypeptide according to Claim 4 and comprising the sequence:

TACGAGAGGCTAAGACTCAGAGTTACGCATCAAACCACGGGCGAKGAATACTTCCGGTTCATCACG
 CTTCTCCGAGATTATGTCTCAAGCGGAAGCTTTTCCATGAGATAACCACTCTTGCGTCAGTCTACG
 ATCCCGTCTCCGATGCGCAAAGATTGTCTTGGTGGAGCTCACCAACCAGGGGSRGACTCGRTY
 ACGGCCGCCATCGACGTTACCAATSYKTACGTCGTGGCTTACCAAGCAGGCGACCAATCCTACTTT
 TTGCGCGACGCACCACGCGGCGCGGAACGCACCTCTTACCGGGCAGCAGCGGAZ1TCCTCTCTCC
 CATTTCAMYGGAAGCTACMCYGATCTGGAGCGATACGCCGACATAGGGACCAGATCCCTCTCGGTA
 TAGASCAACTCATTCAATCCGTCWCKGCGCTTCGTTWYCGGGCGGCAGCAGCGTRCYCAAGCTC
 GTTCGATTTTAATCCTCATTGATGATCTCCGAGGCGGCCAGATTCAATCCCATCTTATGGAGGK
 MYCGCCAAKAYATTAACAGTGGGGMRTCATTTCTGCCAGACRTGTACATGCTGGAGCTGGAGACGA
 GTTGGGGCCAACAATCCACGCAAGTCCAGCATTCAACCGATGGCGTTTTTAATAACCCAWTYCGGT
 TGGCTATAYCYMCYGGTAACCTCGTGACGTTGWCYAATGTTGCKMYGTGATCGCCAGCTTGGCGA
 TCATGTTGTTTGTATGCGGAGAGCGGCCATCTTCCTCTGACGTGCGCTATTGGCCGCTGGTCATAC

009001 29910960

GACCCGTGATAGCCGATGATGTTACCTGCAGTGCTTCGGAACCTACGGTGCGGATTGTGGGTCGAA
 RTGGCATGYGCGTGACGTCCGAGATGACGATTTCCACGATGGGAATCAGATACAGTTGTGGCCCT
 CCAAGTCCAACAATGATCCGAATCAGTTGTGGACGATCAAAAGGGATRRMACCATTCGATCCAATG
 GCAGCTGCTTGACCACGTATGGCTATACTGCTGGCGTCTATGTGATGATCTTCGACTGTAATACTG
 CTGTGCGGGAGGCCACTATTTGGCAGATATGGGRCAATGGGACCATCATCAATCCAAGATCCAATC
 TGGTTTTGGCAGCATCATCTGGAATCAAAGGCACTACGCTTACGGTGCAAACACTGGATTACACGT
 TGGGACAGGGCTGGCTTGCCGGTAATGATACGCCCCACGCGAGGTGACCATATATGGTTTCAGGG
 ACCTTTGCATGGAATCAAATSRAGGGAGTGTGTGGGTGGAGACGTGCGWSAGTAGCCAAMAGAACC
 AAZ2ARATGGGCTTTGTACGGGGATGGTTCTATACGCCCCAAACAAAACCAAGACCAATGCCTCAC
 CKBTGGGAGAGACTCCGTTTCAACAGTAATCAATATAGTTAGCTGCAGCGSWGSWTCGKSKKSKCA
 GCGATGGGTGTTTACCAATGAAKRSGCCATTTTGAATTTAAAGAVWRGSYYGRYSRTGGATGTGGC
 GCAAGCAAATCCAAAGCTCCGCCGAATAATTATCTATCCTGCCACAGGAAAACCAAATCAAATGTG
 GCTTCCCGTGYMTGA

or a fragment thereof, wherein the nucleotides are defined in accordance with the IUPAC-IUB
 code, and Z₁ designates the nucleotide sequence GAT AGA or is missing and Z₂ designates
 the nucleotide sequence GGC or is missing.

12. Nucleic acid molecule which codes for a polypeptide according to Claim 5 in a
 heterologous host, comprising the sequence:

TACGAGAGGCTAAGACTCAGAGTTACGCATCAAACCACGGGCGAKGAATACTTCCGGTTCATCAGG

009001567-100600

CTTCTCCGAGATTATGTCTCAAGCGGAAGCTTTTCCAATGAGATACCACTCTTGCGTCAGTCTACG
 ATCCCCGTCTCCGATGCGCAAAGATTTGTCTTGGTGGAGCTACCAACCAGGGGSRRGACTCGRTY
 ACGGCCGCCATCGACGTTACCAATSYKTACGTCGTGGCTTACCAAGCAGGCGACCAATCCTACTTT
 TTGCGCGACGCACCACGCGGCGCGGAAACGCACCTCTTCACCGGCACCACCCGAZ₁TCCTCTCTCC
 CATTCAMYGGAAGCTACMCYGATCTGGAGCGATACGCCGGACATAGGGACCAGATCCCTCTCGGTA
 TAGASCAACTCATTCAATCCGTCWCKGCGCTTCGTTWYCCGGCGGCAGCACGCGTRCYCAAGCTC
 GTTCGATTTTAATCCTCATTGATGATCTCCGAGGCCGCCAGATTCAATCCCATCTTATGGAGGK
 MYCGCCAAKAYATTAACAGTGGGGMRTCATTTCTGCCAGACRTGTACATGCTGGAGCTGGAGACGA
 GTTGGGGCCAACAATCCACGCAAGTCCAGCATTCAACCGATGGCGTTTTTAATAACCCAWTYCGGT
 TGGCTATAYCYMCYGGTAACTTCGTGACGTTGWCYAAATGTTCCGCMYGTGATCGCCAGCTTGCCGA
 TCATGTTGTTTGTATGCCGAGAGCGGCCATCTTCCTCT

or a fragment thereof, wherein the nucleotides are defined in accordance with the IUPAC-IUB code, and Z₁ designates the nucleotide sequence GAT AGA or is missing.

13. Nucleic acid which codes for a polypeptide according to Claim 6 in a heterologous host, comprising the sequence:

GATGATGTTACCTGCAGTGCTTCGGAACCTACGGTGCGGATTGTGGGTGCAARTGGCATGYGCGTG
 GACGTCCGAGATGACGATTTCCACGATGGGAATCAGATACAGTTGTGGCCCTCCAAGTCCAACAAT
 GATCCGAATCAGTTGTGGACGATCAAAAGGGATRRMACCATTCGATCCAATGGCAGCTGCTTGACC
 ACGTATGGCTATACTGCTGGCGTCTATGTGATGATCTTCGACTGTAATACTGCTGTGCGGGAGGCC

009007 29910960

ACTATTTGGCAGATATGGGRCAATGGGACCATCATCAATCCAAGATCCAATCTGGTTTTGGCAGCA
 TCATCTGGAATCAAAGGCACTACGCTTACGGTGCAAACACTGGATTACACGTTGGGACAGGGCTGG
 CTTGCCGGTAATGATACCGCCCCACGCGAGGTGACCATATATGGTTTCAGGGACCTTTGCATGGAA
 TCAAATSRAGGGAGTGTGTGGGTGGAGACGTGCGWSAGTAGCCAAMAGAACCAAZ2ARATGGGCTT
 TGTACGGGGATGGTTCTATACGCCCCAAACAAAACCAAGACCAATGCCTCACCCKBTGGGAGAGACT
 CCGTTTCAACAGTAATCAATATAGTTAGCTGCAGCGSWGSWTCGKSKKSKCAGCGATGGGTGTTTA
 CCAATGAAKRSGCCATTTGAATTTAAAGAVWRGSYYGRYSRTGGATGTGGCGCAAGCAAATCCAA
 AGCTCCGCCGAATAATTATCTATCCTGCCACAGGAAAACCAAATCAAATGTGGCTTCCCGTGYYMT
 GA

or a fragment thereof, wherein the nucleotides are defined in accordance with the IUPAC-IUB code, and Z₂ designates the nucleotide sequence GGC or is missing.

14. Nucleic acid molecule according to Claim 11, having the sequence shown in Fig. 1a.

15. Nucleic acid molecule according to Claim 12, selected from the following group:

- I) Nucleic acid having the sequence shown in Fig. 2a.
- II) Nucleic acid having the sequence shown in Fig. 3a.

or a fragment thereof.

16. Nucleic acid molecule according to Claim 13, selected from the following group:

- I) Nucleic acid with the sequence shown in Fig. 7a.

09601667.100600

- II) Nucleic acid with the sequence shown in Fig. 8a.
- III) Nucleic acid with the sequence shown in Fig. 9a.
- IV) Nucleic acid with the sequence shown in Fig. 10a.
- V) Nucleic acid with the sequence shown in Fig. 11a.
- VI) Nucleic acid with the sequence shown in Fig. 12a.

or a fragment thereof.

17. Nucleic acid molecule coding for a mistletoe lectin polypeptide according to at least one of Claims 4 ~~to 9~~ or for a fragment thereof, wherein the codon usage is adapted to the requirements of a heterologous host.

18. Nucleic acid molecule according to Claim 17 having the sequence shown in Fig. 4a, wherein the codon usage is adapted to the preferred codon usage of the genus Brassica.

19. Nucleic acid molecule according to Claim 17, selected from the following group:

- I) Nucleic acid with the sequence shown in Fig. 5a,
- II) Nucleic acid with the sequence shown in Fig. 6a.

20. Nucleic acid molecule according to Claim 17, selected from the following group:

- I) Nucleic acid with the sequence shown in Fig. 13a,
- II) Nucleic acid with the sequence shown in Fig. 14a,
- III) Nucleic acid with the sequence shown in Fig. 15a,
- IV) Nucleic acid with the sequence shown in Fig. 16a,
- V) Nucleic acid with the sequence shown in Fig. 17a,

09601667 100600

VI) Nucleic acid with the sequence shown in Fig. 18a.

21. Vector which comprises a nucleic acid molecule according to one of Claims 11 to 20 or a fragment thereof and a promoter functionally linked thereto.

22. Vector according to Claim 21, wherein the promoter is a specific promoter for an intended host cell.

23. Vector according to Claim 21 and/or 22, wherein the vector is an RNA vector.

24. Host cell for carrying out the process according to one of Claims 1 to 3, which can be a bacterial cell, a plant cell with the exception of a mistletoe cell, an insect larva, an insect cell, a vertebrate cell, preferably a mammalian cell, a yeast cell, a fungal cell, a transgenic vertebrate and/or a transgenic plant with the exception of a mistletoe plant and contains a nucleic acid molecule according to one of Claims 11 to 20 or a vector according to one of Claims 21 to 23.

25. Host cell according to Claim 24, wherein the bacterial cell is *Escherichia coli* and/or the plant cell is a rape cell and/or the insect larva cell is *Trichoplusia ni* and/or the insect cell is a *Spodoptera frugiperda* cell and/or the vertebrate is a zebra fish.

26. Pharmaceutical composition, containing at least one nucleic acid molecule according to one of Claims 11 to 20 or at least one vector according to one of Claims 21 to 23.

27. Pharmaceutical composition according to Claim 26, further containing liposomes.

28. Pharmaceutical composition according to Claim 27, wherein the liposomes bear cell recognition molecules on their surface, wherein the cell recognition molecule selectively binds to target cells.

09501667-100600

a

a 29. Pharmaceutical composition according to Claim 26, further containing MLB polypeptide according to one of Claims 6 ~~or 9~~.

30. Pharmaceutical composition according to Claim 29, wherein the MLB polypeptide or the nucleic acid molecule or the vector is coupled to a cell recognition molecule, wherein the cell recognition molecule selectively binds to target cells.

31. Pharmaceutical composition according to Claim 26, wherein the nucleic acid or the vector are associated with a virus particle.

32. Pharmaceutical composition according to Claim 31, wherein the virus particle bears a cell recognition molecule on its surface, wherein the cell recognition molecule selectively binds to target cells.

a 33. Pharmaceutical composition which contains at least one polypeptide according to Claim 4 ~~to 9~~ and/or a fragment thereof.

09601657-100500 34. Pharmaceutical composition according to Claim 33, further containing a suitable cell recognition molecule, wherein the cell recognition molecule selectively binds to target cells.

35. Pharmaceutical composition according to Claim 34, wherein the cell recognition molecule is selected from the group comprising antibody molecules or antibody fragments, cell receptor ligands, peptide hormones or fragments thereof.

a 36. Use of a mistletoe lectin polypeptide according to at least one of Claims 4 ~~to 9~~ and/or a fragment thereof for the production of a medicament for the treatment of uncontrolled cell growth.

a 37. Use of a mistletoe lectin polypeptide according to at least one of Claims 4 ~~to 9~~ and/or a fragment thereof without cytotoxic activity for the production of a medicament which intensifies the immune reaction.

38. Use according to Claim 37, wherein the medicament includes a further antigen.
39. Use according to Claim 38, wherein the further antigen is a tumour-induced antigen, a bacterial or viral antigen.
40. Process for the production of a mistletoe lectin polypeptide in mistletoe cells and/or a transgenic mistletoe plant having the sequence:

Y E R L R L R V T H Q T T G X1 E Y F R F I T L
 L R D Y V S S G S F S N E I P L L R Q S T I P
 V S D A Q R F V L V E L T N Q G X2 D S X3 T A A
 I D V T N X4 Y V V A Y Q A G D Q S Y F L R D A
 P R G A E T H L F T G T T R X5 S S L P F X6 G S
 Y X7 D L E R Y A G H R D Q I P L G I X8 Q L I Q
 S V X9 A L R X10 P G G S T R X11 Q A R S I L I L
 I Q M I S E A A R F N P I L W R X12 R Q X13 I N
 S G X14 S F L P D X15 Y M L E L E T S W G Q Q S
 T Q V Q H S T D G V F N N P X16 R L A I X17 X18 G
 N F V T L X19 N V R X20 V I A S L A I M L F V C
 G E R P S S S D V R Y W P L V I R P V I A D D
 V T C S A S E P T V R I V G R X21 G M X22 V D V

0096001 100600

R D D D F H D G N Q I Q L W P S K S N N D P N
 Q L W T I K R D X23 T I R S N G S C L T T Y G Y
 T A G V Y V M I F D C N T A V R E A T I W Q I
 W X24 N G T I I N P R S N L V L A A S S G I K G
 T T L T V Q T L D Y T L G Q G W L A G N D T A
 P R E V T I Y G F R D L C M E S N X25 G S V W V
 E T C X26 S S Q X27 N Q X28 X29 W A L Y G D G S I R
 P K Q N Q D Q C L T X30 G R D S V S T V I N I V
 S C S X31 X32 S X33 X34 Q R W V F T N E X35 A I L N
 L K X36 X37 X38 X39 X40 D V A Q A N P K L R R I I I
 Y P A T G K P N Q M W L P V X41

or a fragment thereof, comprising the step of expressing by means of a eukaryotic vector,
 which contains a nucleic acid coding for the mistletoe lectin polypeptide or a fragment thereof
 having the nucleic acid sequence originally found in mistletoe cell DNA, in a mistletoe cell
 and/or a transgenic mistletoe plant, wherein the transcription product of this nucleic acid
 molecule is modified in mistletoe cells and/or transgenic mistletoe plants by postranscriptional
 and/or posttranslational mechanisms, wherein X1 is D or E, X2 is G or Q, X3 is I or V, X4 is
 L or A, X5 is DR or missing, X6 is N or T, X7 is P or T, X8 is D or E, X9 is S or T, X10 is F
 or Y, X11 is T or A, X12 is A or Y, X13 is Y or D, X14 is A or E, X15 is V or M, X16 is I or
 F, X17 is P or S, X18 is P or T, X19 is T or S, X20 is D or S, X21 is N or S, X22 is C or R,
 X23 is G or N, X24 is G or D, X25 is G or Q, X26 is V or D, X27 is Q or K, X28 is G or

09601667.100600

missing, X29 is R or K, X30 is C or S or V, X31 is A or G, X32 is G or A, X33 is S or G, X34 is G or S, X35 is G or Y, X36 is N or S or T or K, X37 is S or G, X38 is L or P, X39 is A or M, X40 is M or V and X41 is P or F.

41. Process according to Claim 40, wherein the mistletoe lectin polypeptide corresponds to the mistletoe lectin A-chain or a fragment thereof and includes the following sequence or a fragment thereof:

Y E R L R L R V T H Q T T G X1 E Y F R F I T L
 L R D Y V S S G S F S N E I P L L R Q S T I P
 V S D A Q R F V L V E L T N Q G X2 D S X3 T A A
 I D V T N X4 Y V V A Y Q A G D Q S Y F L R D A
 P R G A E T H L F T G T T R X5 S S L P F X6 G S
 Y X7 D L E R Y A G H R D Q I F L G I X8 Q L I Q
 S V X9 A L R X10 P G G S T R X11 Q A R S I L I L
 I Q M I S E A A R F N P I L W R X12 R Q X13 I N
 S G X14 S F L P D X15 I M L E L E T S W G Q Q S
 T Q V Q H S T D G V F N N P X16 R L A I X17 X18 G
 N F V T L X19 N V R X20 V I A S L A I M L F V C
 G E R P S S S

wherein X1 to X20 have the meaning stated above.

009601667-100600

42. Process according to Claim 40, wherein the mistletoe lectin polypeptide corresponds to the mistletoe lectin B-chain or a fragment thereof and includes the following sequence or a fragment thereof:

D D V T C S A S E P T V R I V G R X21 G M X22 V D
 V R D D D F H D G N Q I Q L W P S K S N N D P N
 Q L W T I K R D X23 T I R S N G S C L T T Y G Y
 T A G V Y V M I F D C N T A V R E A T I W Q I W
 X24 N G T I I N P R S N L V L A A S S G I K G T T
 L T V Q T L D Y T L G Q G W L A G N D T A P R E
 V T I Y G F R D L C M E S N X25 G S V W Y E T C
 X26 S S Q X27 N Q X28 X29 W A L Y G D G S I R P K Q N
 Q D Q C L T X30 G R D S V S T V I N I V S C S X31
 X32 S X33 X34 Q R W V F T N E X35 A I L N L K X36 X37
 X38 X39 X40 D V A Q A N P K L R R I I I Y P A T G
 K P N Q M W L P V X41

wherein X21 to X41 have the meaning stated above.

43. Process for the preparation of a nucleic acid molecule which codes for a mistletoe lectin polypeptide according to Claim 4 in a mistletoe cell and/or a transgenic mistletoe plant, comprising the steps:

a) preparing of mistletoe cell RNA or chromosomal mistletoe cell DNA and

009601667-100600

- b) amplifying mistletoe cell RNA or chromosomal mistletoe lectin DNA by PCR using oligonucleotides which are derived from the mistletoe lectin polypeptide shown in Fig. 1b, and
- c) if necessary, identifying of sequences which lie 5' and 3' from the amplified nucleic acid and amplification thereof, and
- d) isolating of the nucleic acid molecules amplified in step b) and/or c), and
- e) if necessary, ligating several of the nucleic acid molecules isolated in step b) and/or c), such that a nucleic acid molecule with a complete open reading frame is obtained and
- f) if necessary, targeted mutation of the nucleic acid molecule obtained in order to match the nucleic acid molecule to the usual genetic code for one of the mistletoe lectin polypeptide isoforms identified in mistletoe cells and/or to optimise expression.

44. Process for production of a polypeptide according to one of Claims 1 to 3 or 40 to 42, including as a further step the modification of sugar side-chains by enzymatic and/or chemical addition, removal and/or modification of one or several side-chains.

45. Process according to Claim 44, wherein the addition, removal and/or modification of the sugar side-chains leads to matching to the natural proteins.

009601667 100600

Chad B. 27